

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S120	1	creat\$3 near group near VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:48
S121	1720	(request\$3 with (group ID) with network) with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:08
S122	7	(request\$3 with (group ID) with network) with user with VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 14:48
S123	2242	(request\$3 with (creat\$3 establish\$3) with group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:16
S124	14	(request\$3 with (creat\$3 establish\$3) with group) same VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:16
S125	37	(request\$3 with (creat\$3 establish\$3) with group) and VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:14
S126	23	S125 not S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:10
S127	2	vbn near server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:12

EAST Search History

S12 8	8	user with (request\$3 with (creat\$3 establish\$3) with group) and VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:14
S12 9	14	("20020034962" "20020086705" "20020191562" "5809501" "5875185" "5940371" "5958018" "5974036" "6041358" "6373834" "6473411" "6606310" "6738812" "6768724").PN. OR ("6947739").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/16 15:16
S13 0	826	VBN	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/16 15:16
S13 1	37	(request\$3 with (creat\$3 establish\$3) with group) and VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:16
S13 2	1	(request\$3 with (creat\$3 establish\$3) with group) same VBN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:36
S13 3	9	creat\$3 with vlan with group with request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 15:37
S13 4	8	creat\$3 with vlan with group with request\$3 and (user and password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 13:52
S13 5	10	("6085238" "6223218" "6035405"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:08

EAST Search History

S13 6	4	("6085238" "6223218" "6035405"). pn. and request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 14:01
S13 7	154	Vlan with server with manag\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:14
S13 8	3	Vlan with server with manag\$5 same (user with request with group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:03
S13 9	0	Vlan with server with manag\$5 with ID same (user with request with group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:03
S14 0	14	Vlan with server with manag\$5 with ID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:04
S14 1	125	("6085238" "6223218" "6035405")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:08
S14 2	6	S141 and (establish\$3 creat\$3) near2 group	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:13
S14 3	12	(interactive near VLAN) (IVLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:16

EAST Search History

S14 4	12	(interactive near3 VLAN) (IVLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:17
S14 5	251	(group near VLAN) (IVLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:17
S14 6	27	(group near VLAN) with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:25
S14 7	4	("6052725" "6188691").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:25
S14 8	2	("6636894").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:25
S14 9	79	user with creat\$3 with VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:27
S15 0	7	user near2 creat\$3 near2 VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:38
S15 1	1	(user near2 creat\$3 near2 VLAN) same (password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:29

EAST Search History

S15 2	0	((user near2 (establish\$3 form\$4 generat\$3 mak\$3 produc\$3 develop\$3 creat\$3) near2 VLAN) with request\$3) same (password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:33
S15 3	1	(user near2 (establish\$3 form\$4 generat\$3 mak\$3 produc\$3 develop\$3 creat\$3) near2 VLAN) same (password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:33
S15 4	13	("5287461" "5432907" "5473599" "5745754" "5778174" "5781715" "5790548" "5802320" "5867667" "6088796" "6134591" "6134662").PN. OR ("6240533").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/17 15:36
S15 5	1492	user near2 creat\$3 near2 group	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:11
S15 6	31	user near2 creat\$3 near2 group with identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:39
S15 8	2	user near2 creat\$3 near2 group with identifier with (name ID) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 15:40
S15 9	2	user near2 (establish\$3 form\$4 generat\$3 mak\$3 produc\$3 develop\$3 creat\$3) near2 group with identifier with (name ID) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:22
S16 0	0	user near2 creat\$3 near2 group with (name id) with password with request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:20

EAST Search History

S16 1	11	user near2 creat\$3 near2 group with (name id) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:12
S16 2	606	Vlan with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:14
S16 3	248	(Vlan near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:14
S16 4	2	(Vlan near3 server) and (user with group with (name id) with password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:15
S16 5	847	(user with group with (name id) with password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:15
S16 6	2	(user with group with (name id) with password) and (vlan with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:15
S16 7	14	(user with group with (name id) with password) and (vlan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:15
S16 8	0	user near2 creat\$3 near2 (domain) with (name id) with password with request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:21

EAST Search History

S16 9	1	user near2 creat\$3 near2 (domain) with (name id) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:21
S17 0	0	user near2 (establish\$3 form\$4 generat\$3 mak\$3 produc\$3 develop\$3 creat\$3) near2 domain with identifier with (name ID) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:36
S17 1	6	user near2 (establish\$3 form\$4 generat\$3 mak\$3 produc\$3 develop\$3 creat\$3) near2 domain with (name ID) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:23
S17 2	6	creat\$3 near vlan near group	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:38
S17 3	8	("5809282" "6225999" "6239813" "6393425").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:38
S17 4	0	("5809282" "6225999" "6239813" "6393425").PN. and vlan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:38
S17 5	2	("5809282" "6225999" "6239813" "6393425").PN. and group	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:48
S17 6	16	(password with (name id) with vlan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:50

EAST Search History

S17 7	24	(password with (name id) same vlan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 16:50
S17 8	8	S177 not S176	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:06
S17 9	10	user near2 request\$3 with creat\$3 near2 domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:25
S18 0	61	user near2 request\$3 with creat\$3 near2 virtual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:25
S18 1	0	user near2 request\$3 with creat\$3 near2 virtual near2 group	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:26
S18 2	2	(user near2 request\$3) and user near2 creat\$3 near2 virtual near2 group	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:26
S18 3	67	(user near2 request\$3) and (user with creat\$3 with virtual with group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:27
S18 4	12	(user near2 request\$3) and (user with creat\$3 with virtual with group)and @py<="2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:29

EAST Search History

S189	5	(user with creat\$3 with virtual near group)and @py<="2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:30
S190	11	(creat\$3 with virtual near group) and @py<="2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:32
S191	28	(creat\$3 with virtual near2 group) and @py<="2000"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:32
S192	2	(creat\$3 with virtual near2 group) and @py<="2000" and (VPN VLAN VBD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:33
S197	370	VOIP and VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:43
S198	19	VOIP and VLAN and (user with creat\$3 with group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:44
S199	3	VOIP and VLAN and (user with creat\$3 with group) and (name id) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:44
S200	0	video near conferenc\$3 and VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:44

EAST Search History

S20 1	76	video near conferenc\$3 and VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:45
S20 2	0	video near conferenc\$3 and VLAN and (user with creat\$3 with group) and (name id) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:45
S20 3	64	video near conferenc\$3 and (user with creat\$3 with group) and (name id) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:45
S20 4	64	video near conferenc\$3 and (user with creat\$3 with group) and (name id) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:47
S20 5	0	video near conferenc\$3 and (user with creat\$3 with group) with (name id) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:47
S20 6	2	video near conferenc\$3 and (user with creat\$3 with group) same (name id) with password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/17 17:47
S20 7	144	request\$3 with (name ID) with password with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 11:35
S20 8	47	request\$3 with (name ID) with password with group same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 11:36
S20 9	22	request\$3 with (name ID) with password with group same network same (creat\$3 establish\$3 configur\$3 form\$4 develop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 12:18

EAST Search History

S21 0	50	request\$3 with (name ID) with password with group same (creat\$3 establish\$3 configur\$3 form\$4 develop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 12:19
S21 1	82	request\$3 with (name ID) with password with (domain vlan group) same (creat\$3 establish\$3 configur\$3 form\$4 develop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 12:19
S21 2	37	request\$3 with (name ID) with password with (domain vlan group) same (creat\$3 establish\$3 configur\$3 form\$4 develop\$3) and (private vlan virtual vpn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 12:25
S21 3	25	S212 not S209	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 12:20
S21 4	82	request\$3 with (name ID) with password with (domain vlan group) same (creat\$3 establish\$3 configur\$3 form\$4 develop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 12:25
S21 5	57	S214 not S213	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 12:35
S21 6	1	(creat\$3 establish\$3 form\$4) near2 vlan with (ID and password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/18 12:35
S21 7	3	(creat\$3 establish\$3 form\$4) near2 (group domain) with (ID and password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:23
S21 8	35	(creat\$3 establish\$3 form\$4 construct\$3) near2 (VLAN group domain) with (ID and password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:32
S22 0	10	(creat\$3 establish\$3 form\$4 construct\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network)) with (ID and password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:34

EAST Search History

S22 1	19	(creat\$3 establish\$3 form\$4 contract\$3) with (VLAN (Virtual near private near network) (VPN) (private near network)) with (ID and password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:30
S22 2	9	S221 not S220	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:30
S22 3	119	(VLAN (Virtual near private near network) (VPN) (private near network)) with (ID and password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:30
S22 5	241	(creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN group domain) with (((name ID) and password) (logon) identification) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:59
S22 6	35	(creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network)) with (((name ID) and password) (logon) identification) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:39
S22 7	0	(configur\$3 manag\$3) near VLAN with (((name ID) and password) (logon) identification) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:38
S22 8	2	(configur\$3 manag\$3) near3 VLAN with (((name ID) and password) (logon) identification) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:39
S22 9	21	(configur\$3 manag\$3) near3 (VLAN (Virtual near private near network) (VPN) (private near network)) with (((name ID) and password) (logon) identification) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:49
S23 0	15	(configur\$3 manag\$3) near (VLAN (Virtual near private near network) (VPN) (private near network)) with (((name ID) and password) (logon) identification) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:47

EAST Search History

S23 1	0	(configur\$3 manag\$3) near (VLAN (Virtual near private near network) (VPN) (private near network)) with (((name ID) and password) (logon) identification) with user with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:40
S23 2	16	(configur\$3 manag\$3) near (VLAN (Virtual near private near network) (VPN) (private near network)) with (((name ID) and password) (logon) identification credentials) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:47
S23 3	1	S232 not S230	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:42
S23 4	86	(configur\$3 manag\$3) near (VLAN (Virtual near private near network) (VPN) (private near network) group domain) with (((name ID) and password) (logon) identification credentials) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:48
S23 5	70	S234 not S232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:48
S23 6	70	S235 not S230	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:48
S23 7	0	(configur\$3 manag\$3) near3 (multimedia with group) with (((name ID) and password) (logon) identification) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:49
S23 8	7	(configur\$3 manag\$3) near3 (multimedia) with (((name ID) and password) (logon) identification) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 11:50
S23 9	16	(creat\$3 establish\$3 form\$4 construct\$3) near3 (multimedia) with (((name ID) and password) (logon) identification) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 12:03

EAST Search History

S24 0	1	(creat\$3 establish\$3 form\$4 contract\$3) near3 (virtual near group) with (((name ID) and password) (logon) identification) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 12:04
S24 1	4	(creat\$3 establish\$3 form\$4 contract\$3) near3 (virtual near group) with (((name ID) and password) (logon) identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 12:06
S24 2	5	(creat\$3 establish\$3 form\$4 contract\$3) near3 (virtual near2 group) with (((name ID) and password) (logon) identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 12:07
S24 3	9	(creat\$3 establish\$3 form\$4 contract\$3) near3 (virtual near2 community) with (((name ID) and password) (logon) identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 12:10
S24 4	0	(creat\$3 establish\$3 form\$4 contract\$3) near3 (virtual near2 community) with (name ID) and password and VLAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 12:10
S24 5	0	(creat\$3 establish\$3 form\$4 contract\$3) near3 (virtual near2 community) and (name ID) and password and VLAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 12:10
S24 6	96	(creat\$3 establish\$3 form\$4 contract\$3) near3 (virtual) and (name ID) and password and VLAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 12:11
S24 7	23	(creat\$3 establish\$3 form\$4 contract\$3) near3 (virtual) with user and (name ID) and password and VLAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:31
S24 8	1	VBN with server with VLAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:31
S24 9	155	manag\$5 with server with VLAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:32

EAST Search History

S25 0	39	manag\$5 near3 server near3 VLAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:34
S25 1	11	manag\$5 near3 server near3 VLAN and password and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:37
S25 2	7	user near request\$3 near3 vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:40
S25 3	31	user near defin\$3 near3 vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 13:40
S25 4	10	(creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN) with (((name ID) and password) (logon) identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 16:43
S25 5	13	"6223218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 16:48
S25 6	6	"6223218" and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/20 16:48
S25 7	0	"09825908"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:48
S25 8	19	("20020124108" "4087856" "44424 84" "4949238" "5023773" "5043878 " "5758124" "5948097" "6058414"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:53
S25 9	1	("20020124108" "4087856" "44424 84" "4949238" "5023773" "5043878 " "5758124" "5948097" "6058414"). PN. and (secur\$3 near2 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:54

EAST Search History

S26 0	0	("20020124108" "4087856" "4442484" "4949238" "5023773" "5043878" "5758124" "5948097" "6058414"). PN. and (secur\$3 near2 memory) and exception	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:54
S26 1	1	("20020124108" "4087856" "4442484" "4949238" "5023773" "5043878" "5758124" "5948097" "6058414"). PN. and (secur\$3 near2 memory) and (interrupt exception)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:20
S26 2	10	(creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network)) with (ID and password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:47
S26 3	1	(tim near wilson).in. and (creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:23
S26 4	0	(solutioninc near limited).as. and (creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:24
S26 5	0	(solutioninc near limited).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:25
S26 6	0	(SOLUTIONINC near LIMITED).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:25
S26 7	4	(SOLUTIONINC).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:27
S26 8	20	("5598536" "5790548" "5835725" "5918016" "6101499" "6233318" "6466981" "6510153" "6591306" "6614774").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:27
S26 9	0	(creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network)) and S268	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:27

EAST Search History

S27 0	3	(VLAN (Virtual near private near network) (VPN) (private near network)) and S268	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:29
S27 1	70	automatic\$5 near2 VLAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:00
S27 2	0	automatic\$5 near2 VLAN with login	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:32
S27 3	0	VLAN with (login (password near2 (id user))) near2 request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:33
S27 4	1	VLAN with (login (password near2 (id user))) with request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:33
S27 5	193	group with (login (password near2 (id user))) with request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:33
S27 6	0	S271 and S275	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:34
S27 7	0	automatic\$5 near2 VLAN with (user near request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:29
S27 8	7	automatic\$5 near2 VLAN and (user near request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 10:53
S27 9	8	(user near request\$3) with (creat\$3 establish\$3 form\$4 construct\$3) near2 group with (ID and password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:06

EAST Search History

S28 0	8	(user near request\$3) with (creat\$3 establish\$3 form\$4 contract\$3) near2 (vlan network group vpn lan) with (ID and password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:10
S28 1	4	automatic\$5 near2 VLAN with (request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:38
S28 2	21	VLAN with (user near request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:41
S28 3	0	VLAN with (user near request\$3) and @py<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:39
S28 4	47	VLAN with ((user near request\$3) login (password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:49
S28 5	0	vlan with registrat\$3 with establish\$3 with group with request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:49
S28 6	24	vlan with registrat\$3 with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:00
S28 7	0	creat\$3 with group with valn with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:02
S28 8	6	creat\$3 with group with vlan with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 12:28
S28 9	5	creat\$3 with group with vlan and (user near request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:06

EAST Search History

S29 0	1	(user near request\$3) with (ID and password) and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:14
S29 1	0	vlan near server with request\$3 near2 user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:15
S29 2	26	vlan near server and request\$3 near2 user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:20
S29 3	2	"20050198136"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:20
S29 4	1	(user near request\$3) with (vlan near2 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:22
S29 5	3	(user near request\$3) same (vlan near2 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 13:22
S29 6	6	("20020174211" "20030055933" "6597956" "6662221" "6779016").PN. OR ("7062559").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/06 13:23
S29 7	0	(creat\$3 establish\$3 form\$4 construct\$3) near2 (multicast) with (ID and password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:24
S29 8	76	(creat\$3 establish\$3 form\$4 construct\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network)) with (ID and (key) password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:48

EAST Search History

S29 9	147	(creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network)) same (ID and (key) password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:47
S30 0	1	(creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network)) with (ID and (key) password) and @py<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:49
S30 1	0	(creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network)) with (ID and (key) password)) and @py<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:49
S30 2	0	(creat\$3 establish\$3 form\$4 contract\$3) near2 (VLAN (Virtual near private near network) (VPN) (private near network)) with (ID with (key) password)) and @py<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:50
S30 3	0	(vlan near server) same group\$3 same request\$3 same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:51
S30 4	86	(vlan near server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:51
S30 5	144821	server with request\$3 wit group\$3 with ID with (password key) and (assign\$3 with vlan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:52
S30 6	0	server with request\$3 with group\$3 with ID with (password key) and (assign\$3 with vlan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:53
S30 7	373	vlan and (regist\$6 with request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:54

EAST Search History

S308	54	vlan and (regist\$6 with request\$3 with user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:54
S309	79	vlan and (regist\$6 with request\$3 with (client user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 14:54
S310	4	vlan and (regist\$6 with request\$3 with (client user)) with group\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 15:24
S311	101	"6085238"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 15:24
S312	35	"6085238" and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 15:24
S313	0	S312 and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 15:24
S314	14	S311 and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 15:24
S315	7	user near2 creat\$3 near2 vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:22
S316	8	("5809282" "6225999" "6239813" "6393425").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:19
S317	1	S315 and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:20

EAST Search History

S318	1	S315 and login	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:21
S319	7	request\$3 near2 creat\$3 near2 vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:21
S320	20	user near3 creat\$3 near2 vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:25
S321	13	S320 not S315	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:24
S322	1	S321 and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:24
S323	15	user near2 creat\$3 with vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 10:27
S324	3	user near2 creat\$3 with vlan and (join\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 11:57
S325	6	"6085238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 12:17
S326	1	"20050198136" and (eras\$3 dessolv\$3 delet\$3 cancel\$4 annul\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 12:19
S327	1	"20050198136" and (eras\$3 dessolv\$3 delet\$3 cancel\$4 annul\$3) with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 12:19

EAST Search History

S32 8	2	creat\$3 with group with vlan with user and (dessolv\$3 cancel\$4 delet\$3 annul\$4) near2 group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 12:29
S32 9	89	(dessolv\$3 cancel\$4 delet\$3 annul\$4) near2 (vlan group) with (polic\$3 rules)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 12:29
S33 0	7	(dessolv\$3 cancel\$4 delet\$3 annul\$4) near2 (vlan group) with (polic\$3 rules) and @py<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 12:31
S33 1	2	(dessolv\$3 cancel\$4 delet\$3 annul\$4) near2 (vlan) and (polic\$3 rules) and @py<"2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 12:34
S33 2	2	"6223218".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 12:42
S33 3	1	"6223218".pn. and (user with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 12:42